

STONE CREEK COMMONS

Signage Standards

All individual lots are allowed to have one free standing identification sign, of a design stipulated by and approved by the *Stone Creek Commons Architectural Review Committee*.



Signage shall be limited to name, corporate logo, and address only. The horizontal measurement of all identity ground and walls signs must be greater than the vertical measurement to assure limitations to the vertical signage in the Park. Lighting of signage, although not required, shall be internal illumination and intensity shall not exceed one foot candle at the centerline to any public right-of-way.

The ground sign shall be a monument type sign with a base in accordance with the following specifications. Pole signs are not allowed.

Monument Sign Specifications are outlined below.

1. Minimum square footage allowed 8 per tenant for multi-tenant monument signs; minimum 24 and maximum of 44 Sq Ft for single tenant monument signs.
2. Horizontal format.
3. 9 foot maximum height.
4. 12 inch - 18 inch width (18 inches in case of channel letters only).
5. If illuminated, internal H.O. fluorescent lamps or if neon channel letters are used - neon. No spotlights are permitted to illuminate monument signs.
6. Logo panel 1 inch depth, aluminum, baked enamel color with logo
7. Base not to exceed one-half height of sign.

[Click here to see a sign plan.](#)



The ground sign shall be no closer than 8 feet from the front property line. Roof mounted signs are not permitted.

Space to accommodate wall mount signage and cabinets must be architecturally designed into the façade of the building. All lettering on wall signs shall be no greater than 20 percent of the wall height and the length of all combined graphics shall not be longer than 25 percent of the average wall length.